

BLIZZ e50-29

MATTE BLACK/RADIOACTIVE YELLOW/DARK GREY



| | | | |
|---------------------------------------|--------------|--------------|--------------|
| FRAME SIZE | 16.0" | 18.0" | 20.0" |
| | (M) | (L) | (XL) |
| SEAT TUBE LENGTH (MM) | 415 | 460 | 500 |
| EFFECTIVE TOP TUBE LENGTH (MM) | 605 | 630 | 650 |
| STACK (MM) | 625 | 625 | 639 |
| REACH (MM) | 425 | 450 | 466 |
| CHAINSTAY LENGTH (MM) | 450 | 450 | 450 |
| WHEELBASE (MM) | 1180 | 1205 | 1227 |
| SEAT TUBE ANGLE | 74 | 74 | 74 |
| HEAD TUBE ANGLE | 67 | 67 | 67 |
| HEAD TUBE LENGTH (MM) | 120 | 120 | 120 |
| FORK LENGHT (MM) | 543 | 543 | 543 |

| | | | |
|---------------------------------|--|--|--|
| FRAME SIZE | 16.0" (M) | 18.0" (L) | 20.0" (XL) |
| FORK OFFSET (MM) | 51 | 51 | 51 |
| BB DROP (MM) | 35 | 35 | 35 |
| HEAD TUBE SIZE | IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B) | IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B) | IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B) |
| SEAT POST DIAMETER (MM) | 30.9 | 30.9 | 30.9 |
| SEAT CLAMP DIAMETER (MM) | 34.9 | 34.9 | 34.9 |
| DROPOUT IDL (MM) | 12x148 THRU AXLE BOOST | 12x148 THRU AXLE BOOST | 12x148 THRU AXLE BOOST |
| HANDLEBAR WIDTH (MM) | 760 | 760 | 760 |
| STEM LENGTH (MM) | 45 | 45 | 45 |
| CRANK LENGTH (MM) | 170 | 170 | 170 |
| SEATPOST LENGTH (MM) | 350 / 390 | 350 / 390 | 350 / 390 |

Image not found or type unknown

| | |
|---------------------|--|
| FRAME | Alloy Al-6061 T6 Custom tubing, Smooth Welding, Fun Ride Geometry, Shark Spine EVO 27.5, SHIMANO STEPS DU hanger, Semi-Integrated Battery, Disc Brake Post Mount, Fender&Kickstand Ready Dropout, Replaceable RD Hanger, Inner Cable Routing |
| TRAVEL (F/R) | 120 mm |

| | |
|-------------------------------|--|
| FORK | SR Suntour XCM 34 LO Tapered, 15 mm Boost |
| REAR SUSPENSION | - |
| SPRING/DAMPING SYSTEM | Coil spring/hydraulic lock-out |
| FREEWHEEL/CASSETTE | Shimano CS-HG500-10 11-42T |
| HEAD SET | FSA No,9M/No,7B |
| SIZES | 16" (M), 18" (L), 20" (XL) |
| MAX SUPPORT SPEED | 25 km/h |
| DISTANCE RANGE (UP TO) | 100 km (ECO mode) |
| COLOUR | MATTE BLACK/RADIOACTIVE YELLOW/DARK GREY |
| SIZES | 16.0" (M), 18.0" (L), 20.0" (XL) |
| GEARS | 1×10, 34x11-42 |
| CRANKSET | FC-E6100 34T / Cranks 170 mm / CL 50 mm |
| FRONT DERAILLEUR | - |
| REAR DERAILLEUR | Shimano Deore RD-M6000-GS Shadow Plus |
| SHIFTER | Shimano Deore SL-M6000 Rapidfire Plus |
| CHAIN | KMC X10e EPT |
| BB | Shimano STePS E7000 Middle Drive Unit |
| PEDALS | - |
| BRAKES | Shimano BR-MT400 hydraulic disc brake 180/180 mm |
| STEM | Alloy 35 mm |
| HANDLEBAR | Alloy 35 mm riser |
| GRIPS | ONE MTB Lock-on |
| SEAT POST | ONE Sport |
| SADDLE | RM Peak Race |
| FRONT HUB | Shimano HB-MT400-B 15×110 mm |
| REAR HUB | Shimano FH-MT400-B 12×148 mm |
| RIMS | WTB ST i29 TCS 2,0 32H |
| SPOKES | Sapim Leader, Stainless Black |
| TIRES | WTB Trail Boss Comp 29×2,4" |
| Total WEIGHT | 22,4 kg / 19" (L) incl. battery |
| E-BIKE SYSTEM | Shimano STePS E7000 - Middle Drive Unit |
| BATTERY | BT-E8010 Li-Ion 36 V / 14 Ah / 504 Wh |
| DISPLAY | SC-E7000 Sport |
| DRIVE UNIT | BLDC* 36 V / 250 W / 60 Nm |
| CHARGE CYCLES | 1000 / 60 % of original capacity |
| CHARGING TIME (HOURS) | 7,5 hours |