

BLIZZ e70-29

MATTE SLATE GREY/NEON ORANGE/BLACK



FRAME SIZE	16.0"	18.0"	20.0"
	(M)	(L)	(XL)
SEAT TUBE LENGTH (MM)	415	460	500
EFFECTIVE TOP TUBE LENGTH (MM)	605	630	650
STACK (MM)	625	625	639
REACH (MM)	425	450	466
CHAINSTAY LENGTH (MM)	450	450	450
WHEELBASE (MM)	1180	1205	1227
SEAT TUBE ANGLE	74	74	74
HEAD TUBE ANGLE	67	67	67
HEAD TUBE LENGTH (MM)	120	120	120
FORK LENGHT (MM)	543	543	543

FRAME SIZE	16.0" (M)	18.0" (L)	20.0" (XL)
FORK OFFSET (MM)	51	51	51
BB DROP (MM)	35	35	35
HEAD TUBE SIZE	IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B)	IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B)	IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B)
SEAT POST DIAMETER (MM)	30.9	30.9	30.9
SEAT CLAMP DIAMETER (MM)	34.9	34.9	34.9
DROPOUT IDL (MM)	12x148 THRU AXLE BOOST	12x148 THRU AXLE BOOST	12x148 THRU AXLE BOOST
HANDLEBAR WIDTH (MM)	760	760	760
STEM LENGTH (MM)	45	45	45
CRANK LENGTH (MM)	170	170	170
SEATPOST LENGTH (MM)	350 / 390	350 / 390	350 / 390

Image not found or type unknown

FRAME	Alloy Al-6061 T6 Custom tubing, Smooth Welding, Fun Ride Geometry, Shark Spine EVO 27.5, SHIMANO STEPS DU hanger, Semi-Integrated Battery, Disc Brake Post Mount, Fender&Kickstand Ready Dropout, Replaceable RD Hanger, Inner Cable Routing
TRAVEL (F/R)	120 mm
FORK	SR Suntour Raidon 34 LO R Tapered, 15 mm Boost
REAR SUSPENSION	-
SPRING/DAMPING SYSTEM	Air/hydraulic lock-out
FREEWHEEL/CASSETTE	Sunrace MS8-11 11-46T
HEAD SET	FSA No,9M/No,7B
SIZES	16" (M), 18" (L), 20" (XL)
MAX SUPPORT SPEED	25 km/h
DISTANCE RANGE (UP TO)	100 km (ECO mode)
COLOUR	MATTE SLATE GREY/NEON ORANGE/BLACK
SIZES	16.0" (M), 18.0" (L), 20.0" (XL)
GEARS	1x11, 34x11-46
CRANKSET	FC-E8000-B 34T / Cranks 170 mm / CL 53 mm
FRONT DERAILLEUR	-
REAR DERAILLEUR	Shimano SLX RD-M7000-GS Shadow Plus
SHIFTER	Shimano XT SL-M8000 Rapidfire Plus
CHAIN	KMC X11eS Sport Power
BB	Shimano STePS E8000 Middle Drive Unit
PEDALS	-
BRAKES	Shimano BR-MT400 hydraulic disc brake 180/180 mm
STEM	Alloy 35 mm
HANDLEBAR	Race Face Ride 35mm riser

GRIPS
SEAT POST
SADDLE
FRONT HUB
REAR HUB
RIMS
SPOKES
TIRES
WEIGHT
E-BIKE SYSTEM
BATTERY
DISPLAY
DRIVE UNIT
CHARGE CYCLES
CHARGING TIME (HOURS)

ONE MTB Lock-on
ONE 125 mm Dropped Post
RM Peak Race
Shimano HB-M6010-B 15×110 mm
Shimano FH-M6010-B 12×148 mm
WTB ST i29 TCS 2,0 32H
Sapim Leader, Stainless Black
WTB Trail Boss Comp 29×2,4"
21,2 kg / 19" (L) incl. battery
Shimano STePS E8000 - Middle Drive Unit
BT-E8010 Li-Ion 36 V / 14 Ah / 504 Wh
SC-E7000 Sport
BLDC* 36 V / 250 W / 70 Nm
1000 / 60 % of original capacity
7,5 hours